

INSTRUCTIONS TO APPLY

1. CHECK PROJECT AND EQUIPMENT ELIGIBILITY

- Read all Terms and Conditions carefully to confirm your eligibility to participate in the Non-Residential Multifamily Program. Visit DominionEnergy.com to view the full list of qualifying measures and please note customer eligibility must be confirmed prior to the participating contractor performing work at any customer location.

2. COMPLETE AN ENERGY ASSESSMENT

- A walk-through energy assessment completed by a participating contractor is required for all projects, detailing the recommended measures for installation.
- Some direct install measures may be installed immediately with minimal effort and investment.

3. INSTALL EQUIPMENT OR PERFORM PROJECT WORK

- Have the participating contractor install the equipment.

4. SUBMIT A REBATE APPLICATION

- Once the work has been completed your contractor will work with you to submit a rebate application for each eligible location.

- Submit a rebate application with a copy of the dated contractor invoice within 45 days of the service date and product invoice(s). Product specification sheets must also be submitted for applicable measures.

- Submit the rebate application in one of three ways below:

- ▶ Email: RMFP@Honeywell.com
- ▶ Fax: 804-515-1587
- ▶ Mail: Honeywell Smart Energy
7870 Villa Park Drive, Suite 800
Richmond, VA 23228

- You may be contacted for a post-installation quality assurance inspection to verify that your application meets program guidelines.

5. RECEIVE INCENTIVE PAYMENT

- When your rebate application is approved a rebate check will be mailed to you or the participating contractor.

TERMS AND CONDITIONS FOR DOMINION ENERGY VIRGINIA

These terms and conditions apply to the Non-Residential Multifamily Program ("Program"). The Program has been approved by the Virginia State Corporation Commission.

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy Virginia" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy Virginia, as well as its authorized agents and contractors.

ENROLLMENT QUALIFICATIONS AND REQUIREMENTS FOR PARTICIPATION

1. This Program provides incentives to owners of multi-family housing to install energy efficiency measures in the common areas of the facility.
2. Service must be performed on or after **January 15, 2021**.
3. Program participant must be a Dominion non-residential customer account located in common areas of a multifamily community, such as an apartment or condominium ("Customer") who is not under special contract or otherwise exempt, is responsible for the electric bill, and is the owner of the facility or reasonably able to secure permission to complete measures.
4. Customer is eligible for more than one rebate per location during the term of the Program, except as stated below.
5. Customer who has previously received a rebate for the Non-Residential Multifamily Program is not eligible to receive another rebate for installing the same measure on the same equipment/system that previously received an incentive.
6. Work must be completed by a participating contractor that is in Dominion's network for this Program when the work begins.
7. Dominion and/or its designees including Program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all Program requirements. Such reviews will be made at a time convenient to the Customer. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate.
8. Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority.
9. The Customer understands that they may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the Program.

PAYMENT

1. **Rebate application must be submitted within 45 days of the service date.** It is the Customer's responsibility to assure that all requirements of the rebate are met. Failure to provide any of the required information will delay application processing and could result in non-payment. Dominion retains the right to deny participation to Customer for failure to comply with the enrollment qualifications and requirements for participation.
2. Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service.

3. Payment will be issued to the account holder and mailing address on record with Dominion unless the Customer has authorized in writing that payment be made to the contractor specified in this document.
4. **Customer should allow up to 90 days from the date all required information is received to process the rebate.**
5. Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate.

OTHER REQUIREMENTS

1. Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to Program funds being available and regulatory approval.
2. Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about, the performance of the equipment or equipment warranty for equipment supplied or serviced by, the quality of the work or labor performed by, the quality of the materials supplied by, and/or the acts or omissions of itself or any participating contractor.
3. By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
4. Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection, L.L.C. ("PJM"), the regional electric transmission organization of which Dominion is a member. Customer's participation in the Program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM, Dominion's agents and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent customer information includes account holder name, account number, energy usage and billing information, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors, coincidence factors, interactive factors, building type and other information necessary to implement and monitor the Program including other information as required by PJM or any other regulatory authority.
5. These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the Virginia State Corporation Commission and contained in any agreement between the Customer and a Program vendor. To the extent there is any conflict among such terms and conditions, these Program specific terms and conditions shall control.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Duct Sealing (Measures 63-68)

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a separate form for each additional unit.

UNIT INFORMATION (Condensing Coil/Outdoor Unit)

Repair Required: <input type="checkbox"/> Yes <input type="checkbox"/> No	Manufacturer:	Model No:	Serial No:	No. of Floors:	
Cooling Capacity Per Unit (tons):	Heating Capacity Per Unit (Btu/h):	Primary Heating Fuel: <input type="checkbox"/> Electric <input type="checkbox"/> Non-Electric	Location: <input type="checkbox"/> Rooftop <input type="checkbox"/> Garage <input type="checkbox"/> Outdoors, On Grade <input type="checkbox"/> Mechanical Equipment Room		
Cooling System Type:	<input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Central A/C <input type="checkbox"/> Packaged System A/C <input type="checkbox"/> Window Unit A/C				
Heating System Type:	<input type="checkbox"/> Heat Pump: Geothermal, Open Loop (rare) <input type="checkbox"/> Heat Pump: Geothermal, Closed Loop <input type="checkbox"/> Heat Pump: Ductless Mini Split <input type="checkbox"/> Heat Pump: Air Source <input type="checkbox"/> Heat Pump: Water Source <input type="checkbox"/> Electrical Resistance Heat <input type="checkbox"/> Non-Electric <input type="checkbox"/> None				
Fan System Type:	<input type="checkbox"/> Airfoil/Backward-Inclined <input type="checkbox"/> Forward Curved <input type="checkbox"/> Airfoil/Backward-Inclined with Inlet Guide Vanes <input type="checkbox"/> Forward Curved with Inlet Guide Vanes				
Conditioned Space (Sq Ft):	Equipment Phase: <input type="checkbox"/> 1 <input type="checkbox"/> 3	SEER (10 to 30):	HSPF (6 to 12):	Voltage*:	Amp (RLA):

DUCT INFORMATION

Insulation R Value:	<input type="checkbox"/> No Insulation <input type="checkbox"/> R2 Insulation <input type="checkbox"/> R4 Insulation <input type="checkbox"/> R6 Insulation <input type="checkbox"/> R8 Insulation				
Duct Type:	<input type="checkbox"/> Flex-Duct <input type="checkbox"/> Rigid Board <input type="checkbox"/> Rigid Sheet Metal				
Duct Testing Method:	<input type="checkbox"/> Modified Blower Door Subtraction <input type="checkbox"/> Duct Blaster Pre/Aerosol Post <input type="checkbox"/> Total Leakage Duct Blaster <input type="checkbox"/> Aerosol Test Equipment <small>(If any of the above three options are selected, please fill in the CFM25 fields, where applicable.)</small>				
CFM25 Leakage Pre*:	CFM25 Leakage % Pre*:	CFM25 Leakage Post*:	CFM25 Leakage % Post*:		
<input type="checkbox"/> Modified Blower Door Subtraction (If this option is selected, please fill in the CFM50 fields, where applicable.)					
CFM50 Whole House Pre*:	CFM50 Envelope Only Pre*:	CFM50 Whole House Post*:	CFM50 Envelope Only Post*:		

DUCT SEALING/REPAIR CHECKLIST

All work is subject to a diagnostic quality assurance post-sealing test. If the post-sealing leakage does not equal 15% or less of total duct system leakage, then the program rebate will not be issued.

Condition of ducts prior to sealing based on visual inspection? Leaky Average Tight

The following standards serve as the pre-installation checklist and apply to all accessible ductwork:

Yes	No	N/A		Yes	No	N/A	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All ducts in nonconditioned areas (crawl spaces, attics, garages and basements) are fully wrapped or internally insulated	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All flexible ducts are straight runs and are not crushed, crimped or make turns sharper than 90 degrees
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All ductwork is intact and connected from air source to termination	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All accessible sections of metal duct are secured with sheet metal screws
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exhaust fan ductwork is insulated in unconditioned spaces				

The following connections shall be sealed with bucket mastic, aerosol-based sealant, or UL 181 duct tape (duct tape will NOT pass if it is not UL 181-rated):

Yes	No	N/A		Yes	No	N/A	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Plenum seams (includes trunk lines, distribution boxes, etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Collar to junction box seams
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Plenum to collars (tabbed metal collar sealed directly to rigid plenum material)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Collar to return box (sheet metal to sheet metal)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Collars to ducts (mechanically fastened and sealed with bucket mastic or UL-181 approved tape)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Joints on the return box (only accessible from inside the return; if interior of the return is insulated, remove insulation, seal, replace insulation)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ducts to supply boots (same as above)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Panned returns/seal all vertical and horizontal seams
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Air handler: Cabinet seams, electrical penetrations, plumbing penetrations (i.e., condensate lines) and line set penetrations	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Supply boots to subfloor/sealed from above or below
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Plumbing penetrations/sealed with caulk or adhesive patch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Supply boots to ceiling/walls/sealed from above or below
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Line set penetrations/sealed with high temperature caulk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Return box to sheetrock and subfloor/sealed if building cavity is used as part of duct system